

www.vcom.com.hk

VCOM INTERNATIONAL LTD.

Head Quarter

>12F, Building D, Youke Business Center, Kexin Rd, Tangxia, Tianhe District,
Guangzhou City, Guangdong Province, China
Tel:+86-20-88525625 Fax:+86-20-88525625 Email:vcom@vcom.hk

Cable & Electronic Factory

>Xiaopenggang Industrial Zone, Longxi Town, Beiluo District, Huizhou City,
Guangdong Province, China
Tel:+86-752-6873123 Fax:+86-752-6873155

VCOM
CABLE & ELECTRONICS



**TO BE THE GLOBAL NO.1
BRAND ON COMPUTER PERIPHERALS**

www.vcom.com.hk

COMPANY PROFILE

VCOM INTERNATIONAL LTD is one of the subsidiaries of VCOM Group. It was founded in 2004, located in Guangzhou China. It is professional in intelligent building cabling system. We are a collectivization enterprise with R&D, sales and service. We have three production bases, which are located in Dongguan, Huizhou and Fuzhou Jiangxi.

We have independent intellectual property rights of VCOM brand. After years of continuous development and innovation, VCOM has become integrated cable industry recognized as the most valuable international brand. VCOM has a high reputation in domestic and abroad. We have branches, agents in major cities in China, and have agents in more than 98 countries in the world.

Relying on powerful R&D team and production technology, we have developed Cat5e UTP, FTP, SFTP and Cat6 systems, Cat7 cabling system, coaxial CCTV system, telephone voice system, audio and video teaching system and so on. The SFTP Cat5e cable structure has obtained China national practical patent. VCOM has passed the international ISO9001 (2000) quality system certificate, our products passed the UL, CE, VDE certificates and China 3C certification.

VCOM takes the concept of win-win cooperation, continues to expand and deepen the business channels. We set up branches or agents not only in China but in all over the world. We established a perfect sales and after-sales service system, to promote VCOM brand powerful. With stable quality and good reputation, excellent market achievements for successive years, VCOM have all kinds of industry users and supports. VCOM cabling system products have been widely used in the financial, medical, university, airports, sea ports and train stations and other various of industries project.

VCOM International LTD, will do more detailed market analysis and surveys to develop more user-friendly products and solutions. We are continuously to make contribution to the development of industry by our own strengths.



CONTENTS

1. Computer Cables

1.1 Active Optical Cable.....	05
1.2 HDMI Cable.....	06
1.3 Display Port.....	09
1.4 DVI Cable.....	10
1.5 VGA Cable.....	11
1.6 Audio/RCA Cable.....	12
1.7 Toslink Cable.....	12
1.8 USB Cable.....	13
1.9 HDD/SATA Cable.....	15
2.0 Power Cable.....	17
2.1 Lan cable and tools.....	19
2.2 Telephone cable & tools.....	23


2. AV Adaptor

2.1 Audio/Video Adaptor.....	24
2.2 Audio/Video Converter.....	25
2.3 HDMI Splitter.....	32
2.4 HDMI Switch.....	32
2.5 HDMI Converter.....	33
2.6 HDMI KVM SWITCH.....	34
2.7 VGA Splitter.....	34
2.8 Extender.....	35

3. USB Type C Series

3.1 USB-C Data Cable.....	36
3.2 USB-C Video Convert Cable.....	36
3.3 USB-C Adaptor.....	37
3.4 USB-C Dongle.....	37
3.5 USB-C Docking.....	38
3.6 USB-C Hub.....	43

COMPUTER CABLE SYSTEM



ACTIVE OPTICAL CABLE



D3742A

HDMI 19 M/M Cable

Active optical cable, support HDMI 2.0V
 Support 18Gbps, HDCP 2.2/CEC/EDID/HDR,
 The maximum support 4K @ 60Hz,
 No external power supply is required,
 24K Gold Plated connector, Metal shell, Silver,
 OD: 4.8 mm, black
 10m/15m/20m/30m/40m/50m/60m/70m/80m/
 100m/120m/150m/200m



D3743

HDMI 19 M/M Cable

Active optical cable, support HDMI 2.1V,
 Bandwidth up to 48Gbps, Ethernet, 3D,
 HDCP 2.2, HDR, Support 8k @ 60Hz/4k @ 120Hz,
 24K Gold plated Connector, metal hood, black
 3m/5m/10m/15m/20m/30m/40m/50m



D3751

Display Port Cable 1.4V

Display port 1M/M, AOC, support 1.4V,
 total bandwidth: 32Gbps/8k @ 60Hz, 4K @ 144Hz,
 4K/120Hz, Support HDR3, HDCP2.2/CEC/EDID,
 24K Gold plated Connector, OD: 4.8mm, black
 3m/5m/10m/15m/20m/25m/30m/40m/50m

HDMI CABLE

HDMI (High-definition multimedia interface) is the first and only industry-supported, uncompressed, all-digital audio/video interface. By delivering crystal-clear, all-digital audio and video via a single cable, HDMI dramatically simplifies cabling and helps provide consumers with the highest-quality home theater experience. HDMI provides an interface between any audio/video source, such as a set-top box, DVD player, or AV receiver and an audio and/or video monitor, such as a digital television(DTV), over a single cable.

CG860

HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet, 3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz, 24K Gold plated Connector, metal hood, black
0.5m/1m/1.5m/2m



CG579

HDMI AM/AM 2.0V

Bandwidth up to 18Gbps, Ethernet, 3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz, 24K Gold plated Connector, metal hood, black
1.8m/3m/5m



CG517

HDMI AM/AM 2.0V

Support ethernet,3D, Bandwidth speed of up to 18Gbps, Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels, 21:9 video aspect ratio, HDR, 24K Gold plated Connector, black, standard 2.0V, 1.8m/3m/5m/10m



CG577

HDMI AM/AM 2.0V

Support ethernet,3D, Bandwidth speed of up to 18Gbps, Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels, 21:9 video aspect ratio, HDR, 24K Gold plated Connector, metal hood, black
1.8m/3m/5m/10m



CG578

HDMI AM/AM 2.0V

Support ethernet,3D, Bandwidth speed of up to 18Gbps, Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels, 21:9 video aspect ratio, HDR, 24K Gold plated Connector, metal hood, black
1.8m/3m/5m/10m



CG525

HDMI AM/AM 2.0V

Support Ethernet, 3D, Support 1920*1080@60Hz, 3840*2160@60Hz, 24K Gold plated Connector, black&red
1.5m/1.8m/3m/5m/10m /15m

HDMI AM/AM 1.4V

Support 1920*1080@60Hz, Support 3D@24Hz, 3840*2160@30Hz, 4096*2160@24Hz, 24K Gold plated Connector, Support Ethernet
1.5m/1.8m/3m/5m/10m /15m/20m/25m/40m



HDMI AM/AM 2.0V

Support ethernet, 3D, Bandwidth speed of up to 18Gbps,
 Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels,
 21:9 video aspect ratio, HDR, 24K Gold plated Connector, metal hood,
 Plus Nylon Braid, Black (Standard 2.0V)
 1.5m/1.8m/3m/5m/10m/15m



CG526

HDMI AM/AM 1.4V

Support 1920*1080@60Hz(Support 3D@24Hz),
 3840*2160@30Hz, 4096*2160@24Hz,
 24K Gold plated Connector, Support Ethernet,
 Plus Nylon Braid, Black cable with black hood
 1.5m/1.8m/3m/5m/10m/15m/20m



CG571

HDMI 19 AM/AM 1.4V

OFC wire, 4 layer shielding, support 3D, 1080p,
 Ethernet with nylon
 1.8m/3m/5m/10m/15m/20m/25m/30m/50m



CG511

HDMI AM/AM 1.4V

Support 1920*1080@60Hz(Support 3D@24Hz),
 3840*2160@30Hz, 4096*2160@24Hz,
 24K Gold plated Connector, Support Ethernet, black
 1.5m/1.8m/3m/5m/10m/15m/20m/25m/30m/40m/50m

DISPLAY PORT CABLE

Display Port is a digital display interface developed by the Video Electronics Standards Association (VESA). The interface is primarily used to connect a video source to a display device such as a computer monitor, though it can also be used to transmit audio, USB, and other forms of data.
 The VESA specification is royalty-free. VESA designed it to replace VGA, DVI, and LVDS by creating a high performance standard. Backward compatibility to VGA and DVI by using adapter dongles enables consumers to use Display Port fitted video sources without replacing existing display devices. Although Display Port supports much of the same functionality as HDMI, it is expected to complement the interface, not replace it.



CG632

Display Port Cable 1.4V

Display port M/M 1.4V,
 total bandwidth: 32Gbps@60Hz 4K@140Hz,
 Support HBR3, HDCP2.2/CEC/EDID,
 24K Gold plated Connector, OD: 7.3mm, Black
 1.5m/2m



CG631

Display Port Cable 1.2V

Display port M/M 1.2V,
 total bandwidth: 21.6Gbps@4K@60Hz/1080P@60Hz,
 24K Gold plated Connector, OD: 7.3mm, Black
 1.8m/3m



CG634

Display Port Cable 1.1V

Display port M/M 1.1V,
 1080P@60Hz, 24K Gold plated Connector,
 OD: 5.8mm, White
 1.8m/3m



CG681

Mini Display Port M/ Display Port M 1.2V

4K@60Hz, 24K Gold plated Connector, white
 1.8m

DVI CABLE

DVI (Digital Visual Interface) is a high-definition multimedia interface that provides high-bandwidth uncompressed digital audio and video transmission. Core technology based on the latest generation of TMS, come with the contents of thousands of megabits per second bandwidth, high-definition video and multichannel audio data combined into a single interface to support up to (1600X1200) LUXGA resolution, the maximum transmission speed to 5Gbps, in order to realize the "high-definition Link", mainly used in digital high-definition TV, plasma TV, LCD TV, rear projection TVs, projectors, DVD recording / playback machine, and digital video devices such as video and audio signal transmission.



CG442GD

DVI 24+1 M/M +2 Ferrite

Bare copper conductor, 24K Gold Plated Connector
Black, New model
1.5m/1.8m/3m/5m



CG441GD

DVI 24+1 M/M +2 Ferrite

24K Gold Plated Connector,
Digital transfers at rates up to 9.9 Gbps,
Support DVI devices, such as: HDTV, DVD player, LCD TV,
Digital TV and other similar devices, Black
1.5m/1.8m/3m/5m



CG481G

HDMI AM/DVI 24+1M

24K Gold plated,
connector Black molded, Support up to 1080p/60HZ,
Support DV/24/50/60fs/HD-DVI/vv-YCC,
Digital audio format, DTS-HD/Dolby-True-HDL/PCMT,
I/AC3/DTS/DSDD
1.5m/1.8m/3m/5m



CG484G

HDMI AM/DVI 24+1M

Bare copper conductor, 24K Gold Plated Connector
black, New model
1.8m/3m/5m



CG484GD

HDMI AM/DVI 24+1M with 2Ferrite

Bare copper conductor, 24K Gold Plated Connector
black, New model
10m

VGA CABLE

DVI (Digital Visual Interface) is a high-definition multimedia interface that provides high-bandwidth uncompressed digital audio and video transmission. Core technology based on the latest generation of TMS, come with the contents of thousands of megabits per second bandwidth, high-definition video and multichannel audio data combined into a single interface to support up to (1600X1200) LUXGA resolution, the maximum transmission speed to 5Gbps, in order to realize the "high-definition Link", mainly used in digital high-definition TV, plasma TV, LCD TV, rear projection TVs, projectors, DVD recording / playback machine, and digital video devices such as video and audio signal transmission.



CG341AD

**VGA cable
HD 15 M/M 3+4 +2Ferrite**

Nickel Plated
Blue connector Black cable
1.5m/1.8m/3m/5m/10m/15m/20m/25m/30m/35m/40m/50m



CG342AD

**VGA cable
HD 15 M/F 3+4 +2Ferrite**

Nickel Plated
Blue connector Black cable
1.5m/1.8m/3m/5m/10m



CG341D

**VGA cable
HD 15 M/M 3+4 +2Ferrite**

Nickel Plated
Black molded connector
1.5m/1.8m/3m/5m/10m/15m/20m/25m/30m/35m/40m/50m



CG381D

**VGA cable
HD 15 M/M 3+8 +2Ferrite**


Gold Plated
Black molded connector
1.8m/3m/5m/10m/15m/20m/25m/30m/35m/40m/50m



CG021

**VGA cable
HD 15M/2 x HD 15F**

Beige cable, Nickel Plated
0.2m



AUDIO&VIDEO

A Standard type of cable used to transmit analog audio and composite-video signals between devices such as televisions, satellite or cable receivers, VCRs, game console systems, speakers and more.

CV212
3.5ST M/ 2RCAM
 Nickel Plated
 1.5m/1.8m/3m/5m

CV201
3.5ST M/3.5ST M
 Nickel Plated
 1.5m/1.8m/3m/5m

CV022
2RCAM/ 2RCAM
 Nickel Plated
 1.8m/3m/5m

CV202
3.5ST M/3.5ST F
 Nickel Plated
 1.8m/3m/5m

CV033
3RCAM/ 3RCAM
 Nickel Plated
 1.8m/3m/5m

CV203
3.5ST M/2*3.5ST F
 Nickel Plated
 0.2m


Toslink Cable

CV905
VCOM Toslink Cable
 1.8m

CV906
VCOM Toslink Cable
 Metal hood
 1.8m

CV903
VCOM Toslink Cable
 1.8m


USB CABLE

USB (Universal Serial Bus) is a specification to establish communication between devices and a host controller (usually personal computers). USB is short for Universal Serial BUS. USB has the advantages of high transmission speed (the speed of USB1.1 is 12Mbps, USB 2.0 is 480Mbps, USB3.0 is 5Gbps), easy to use, hot swapping support, flexible connector, independent power supply. It can be used to connect with the mouse, keyboard, printer, scanner, camera, flash-disk, MP3, mobile phone, digital camera, mobile HDD, external floppy drive, USB network card, ADSL Modem, Cable Modem and so on, almost all the external equipments.

CU201-TL
USB 2.0 Printer Cable
 USB AM/BM 2.0V, Transparent Blue
 1.5m/1.8m/3m/5m

CU201-B
USB 2.0 Printer Cable
 USB AM/BM 2.0V, Black
 1.5m/1.8m/3m/5m

CU202-TL
USB 2.0 Extension Cable
 USB AM/AF 2.0V, Transparent Blue
 1.5m/1.8m/3m/5m

CU202-B
USB 2.0 Extension Cable
 USB AM/AF 2.0V, Black
 1.5m/1.8m/3m/5m

CU215
USB 2.0 Data Cable
 USB AM/Min USB SP 2.0V, Black
 1.5m/1.8m

CU271V
USB 2.0 Charging & Data Cable
 USB AM/Micro USB 2.0V (with VCOM logo), Black
 1m/1.5m/1.8m

CU302
USB 3.0 Extension Cable
 USB AM/AF 3.0V, Blue
 1.8m/3m

CU303
USB 3.0 Extension Cable
 USB AM/AM 3.0V, Blue
 1.8m/3m


CU311

USB 3.0 Data Cable

USB AM/Micro USB BM 3.0V,blue
1.8m/3m



CU823

USB 2.0 Extension

USB Extension W/IC,
Transparent cable with black hood
5m/10m/15m



CU804

USB to Serial

USB to Serial cable with IC(single chip),
RS232,with CD,Transparent cable
1.2m



CU806

USB to Printer

USB to Printer with IC, black
1.2m



CU807

USB 2.0 to PS/2

USB 2.0 to PS/2, grey
0.2m



CU834

USB 2.0 AM to Ethernet RJ-45

USB 2.0 AM to Ethernet RJ-45 Jack, White,
10/100 Mbps
This Ethernet to USB adapter is compatible with
Windows 8, 1/8/7/Vista/XP, Mac OS X 10.6/10.7/10.8/10.9/10.10,
and Chrome OS.
0.15m



CU827A

USB 3.0 Active Extension Cable with Signal Booster

Black, OD 5.5mm
5m/10m/15m



DU312M

USB 3.0 to Ethernet RJ45 LAN Gigabit Adapter

for 10/100/1000 Mbps, Compatible with Mac OS X, Linux,
Chrome OS, Windows 10/8, 1/8/7/XP/Vista
0.2m



CU813

USB 2.0 to SATA/IDE

USB 2.0 to SATA/IDE
0.8m



CU320M

USB3.0 to HDMI/F Adapter with audio

Support Max Resolution 1920*1080@60Hz,
Compatible with Windows 10/8, 1/8/7
0.15m



CU321M

USB3.0 to VGA/F Adapter

Support Max Resolution 1920*1080@60Hz,
Compatible with Windows 10/8, 1/8/7, 0.15m



CU322M

USB3.0 to HDMI/F + VGA/F Adapter

Support Max Resolution 1080p@60Hz,
compatible with Windows 10/8, 1/8/7, 0.15m



USB 3.0 HARD DRIVE ADAPTER CABLE

CU815

USB 3.0 to 2.5 Inch SATA III Hard Drive Adapter Cable

0.22m



CU816

USB 3.0 to 2.5/3.5 Inch SATA III & SSD Hard Drive Adapter Cable

0.43m



CU817

USB 3.0 to
2.5/3.5 Inch SATA III & SSD
Hard Drive Adapter Cable

right angle
0.43m



CU818

USB Type-c 3.0 to
2.5 Inch SATA III Hard
Drive Adapter Cable

0.22m



CU819

USB Type C to
2.5/3.5 Inch SATA III & SSD
Hard Drive Adapter Cable

right angle
0.24m



CU821

3 in 1 USB 3.0 to
IDE / SATA 3.0
Converter Hard Drive Adapter



PC INTERNAL DATA CABLE

These wires are used to connect the internal PC's CPU motherboard, CD-ROM, hard disk. The OFC conductor and the high quality PVC insulation can reduce the loss of signal and keep the stability of performance.

CH301

Serial ATA Cable

0.45m



CH302R

Serial ATA Cable
W/Lock Right Angle

0.45m



CH313

E-SATA/SATA Cable

0.45m



CH321

SATA+Power Cable

0.45M+0.45M



POWER CABLE

CE352

S-ATA Power
Cord Y Type

0.2m+0.2m



CH351

S-ATA Power
Cord

0.15m



CH313

Power Supplier Cable
Y Type

(5.25M)*2*(5.25F)
0.15m+0.15m



CE001

Power Cord Monitor
H03VV-F

1.5m/1.8m/3m/5m



CE021

Power Cord Monitor
H03VV-F

1.5m/1.8m/3m/5m



CE022

Power Cord EU Type
For Notebook

1.5m/1.8m/3m/5m



CE023

Power Cord EU Type
H03VVH2-F

1.5m/1.8m/3m/5m



CE041

Power Cord UK Type

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



CE073

Power Cord South Africa Big

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



CE071

Power Cord South Africa Big

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



CE061

Power Cord AU

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



CE031

Power Cord US Type

SVT 18AWG,OD:6.1mm
1.5m/1.8m/3m/5m



CE032

Power Cord For Notebook US Type

SVT 18AWG,OD:6.1mm
1.5m/1.8m/3m/5m



CE033

Power Cord US Type

SPT-1,18AWG*2C,OD:2.7*5.4mm



CE042

Power Cord For Notebook UK Type

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



CE074

Power Cord For Notebook South Africa Small

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



CE072

Power Cord For Notebook South Africa Big

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



CE062

Power Cord Notebook For AU

H03VV-F 3G0.50MM²&3G0.75MM²
1.5m/1.8m/3m/5m



NETWORK CABLE

Networking cables are used to connect one network device to other network devices or to connect two or more computers to share printer, scanner etc. Different types of network cables like Coaxial cable, Optical fiber cable, Twisted Pair cables are used depending on the network's topology, protocol and size. The devices can be separated by a few meters (e.g. via Ethernet) or nearly unlimited distances (e.g. via the interconnections of the Internet).

NC514

CAT5e UTP 4pair 24AWG BC&CCA


Product standards : TIA/EIA 568B ; ISO/IEC 11801
Frequency:100 MHz
Colour : Grey (Blue, Green, Red, Yellow, Black)
Outer diameter : 5.20±0.20mm
Packaging:305MR,2R/ Carton;100MR,4R/ Carton.



NC534

SFTP Cat5e 305m 4Pair, 0.50CCA 96Braid

Product standards : TIA/EIA 568B ; ISO/IEC 11801
Frequency:100 MHz
Colour : Grey
Outer diameter : 6.00±0.20mm
Packaging:305MR,2R/ Carton;100MR,4R/ Carton.



NC624

CAT6 FTP 4pair 23AWG BC&CCA

Product standards : TIA/EIA 568B-2.1 ; ISO/IEC 11801
Frequency:250 MHz
Colour : Grey
Outer diameter : 6.20±0.20mm
Packaging:305MR,2R/ Carton;



NC544

CAT5e UTP Outdoor 4pair 24AWG BC

Product standards : TIA/EIA 568B ; ISO/IEC 11801
Frequency:100 MHz
Colour : Black
Outer diameter : 6.00±0.20mm
Packaging:305MR,2R/ Carton;



NC524

CAT5e FTP 4pair 24AWG BC&CCA

Product standards : TIA/EIA 568B ; ISO/IEC 11801
Frequency:100 MHz
Colour : Grey
Outer diameter : 5.60±0.20mm
Packaging:305MR,2R/ Carton;100MR,4R/ Carton.



NC614

CAT6 UTP 4pair 23AWG BC&CCA

Product standards : TIA/EIA 568B-2.1 ; ISO/IEC 11801
Frequency:250 MHz
Colour : Grey (Blue, Green, Red, Yellow, Black can customize according to the requirements)
Outer diameter : 6.00±0.20mm
Packaging:305MR,2R/ Carton;100MR,4R/ Carton.



NC634

CAT6 SFTP 4pair 23AWG BC&CCA

Product standards : TIA/EIA 568B-2.1 ; ISO/IEC 11801
Frequency:250 MHz
Colour : Grey
Outer diameter : 6.50±0.20mm
Packaging:305MR,2R/ Carton;



Nc644

CAT6 SFTP 4pair 23AWG BC

Product standards : TIA/EIA 568B-2.1 ; ISO/IEC 11801
Frequency:250 MHz
Colour : Grey
Outer diameter : 6.50±0.20mm
Packaging:305MR,2R/ Carton;





PATCH CORD

The transmission frequency of Cat5e is 100MHz;the transmission frequency of Cat6 is 250MHz.

Application range

Fit for 10/1000 BASE-TX Ethernet data transmission rate 10/1000 Mbps, it is kilo mega cyber, interconnection of kilo mega cyber equipment, such as connection kilo mega switchboards, PC with kilo mega network card between kilo mega switchboard, PC between PC, PC between ADSL, PC between HUB, PC between Fiberrcom, and also between laptop network cards.

Attention

The connection of crossover patch cable is 568A-568B, which is different from standard connection. It is usually suitable to the same equipment connection, such as PC-PC.



NP621

**FTP Cat6 Patch Cord
23AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m/25m/30m



NP611B-N

**UTP Cat6 Patch Cord
with button 23AWG, Green**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP611B-Y

**UTP Cat6 Patch Cord
with button 23AWG, Yellow**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B

**UTP Cat5e Patch Cord with
button 24AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/7m/10m/15m/20m/25m/30m



NP511B-Y

**UTP Cat5e Patch Cord with
button 24AWG, Yellow**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B-N

**UTP Cat5e Patch Cord with
button 24AWG, Green**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B-L

**UTP Cat5e Patch Cord with
button 24AWG, Blue**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B-R

**UTP Cat5e Patch Cord with
button 24AWG, Red**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP521

**FTP Cat5e Patch Cord
24AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m/25m/30m



NP531

**SFTP Cat5e Patch Cord
24AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m/25m/30m



NP611B

**UTP Cat6 Patch Cord with
button 23AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/7m/10m/15m/20m/25m/30m



NP631

**SFTP Cat6 Patch Cord with
button 23AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP611B-L

**UTP Cat6 Patch Cord with
button 23AWG, Blue**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m

NETWORK ACCESSORIES & TOOLS



NM001

RJ45 COLOR BOOT WHITE
/GREEN/RED/BLUE/YELLOW
20PCS/BAG



NM005

RJ45 8P8C CAT5E/UTP
/RJ45 20PCS/BAG



NM025

RJ45 8P8C PLUG CAT5E/STP
/RJ45/FU 20PCS/BAG



NM006

RJ45 8P8C PLUG CAT6/UTP
/RJ45/3U 20PCS/BAG



NM026

RJ45 8P8C PLUG
Cat 6/STP/RJ45/3u (one part)



NM241

RJ45 KEYSTONE MOUNT
BOX 1PORT



NM242

RJ45 Keystone
Mount Box 2Port



CT251

8P8C Coupler



CT261

ADSL US Type



CT253

8P8C Plug/ 2*8P8C 2Jack



NT080

Crimping Tool Rj45



NT084

Crimping Tool
RJ45+RJ11+RJ12



NT030

Stripper Black



NT101

Cable Tester

TELEPHONE ACCESSORIES



CT044C

4P4C/4P4C Phone
Cord Coil White



CT262

6P2C Connector,
20pcs/bag



CT264

6P4C Connector,
20pcs/bag



CT244

4P4C Connector
20pcs/bag



CT201

RJ11 6P4C
Coupler



CT212

Phone Box 2Port



ADAPTER

VCOM have different adaptors such as audio adapter, video adapter and data cable terminal. The high quality metal terminal and plastic material can reduce the loss of signal and keep the stability of performance and extended service life.



CA301
DVI 24+5M /HD
15F Adapter
grey



CA312
HDMI 19F/DVI 24+1M
Gold plated Adapter
black



CA311
HDMI 19M/DVI 24+1F
Gold plated Adapter
black



CA313
HDMI F/F
Gold plated Adapter
black



CA316
MINI HDMI M/HDMI AF
Gold plated
black



CA325
HDMI 19 F/Micro HDMI
19M Gold plated Adapter
black



CA511
3.5ST M/ 2*3.5 STF Adapter
black



CA501
3.5ST M/2 RCAF Adapter
black



CA082
Hd15 F/F MINI Type Adapter
Nickel Plated

Audio/Video Converter

DP Series



CG601
Display Port Cable
M/HDMI AF
Gold plated, 1080P@60Hz/2160P@24Hz, White
0.15m



CG601M
Display Port Cable
M/HDMI AF, Active
Gold plated, 4K@30Hz, Aluminum shell,
Black, 0.15m



CG602
Display Port Cable
M/DVI (24+5) F
1080P@60Hz, 24K Gold plated Connector, black
0.15m



CG602M
Display Port Cable
M/DVI(24+5)F, Active
Gold plated, 4K@30Hz, Aluminum shell,
Black, 0.15m



CG603
Display Port Cable M/VGA F
Gold plated, 1080P@60Hz/2160P@24Hz, White
0.15m



CG603M
Display Port Cable
M/VGA F
Gold plated, 1080P@60Hz, Aluminum shell,
Black, 0.15m



CG640M
Display Port/M to
HDMI/F+VGA/F
Gold plated, HDMI: 4K@30Hz
VGA: 1920*1200@60Hz
Aluminum shell, Black



CG641
3-in-1 Displayport to
HDMI/VGA with
Audio
Output Converter
4K@30Hz for separate output,
1080P@60Hz for simultaneous output,
ABS shell, Black



CG643
4-in-1 Displayport to
HDMI/DVI/VGA with Audio
Output Converter
4K@30Hz for separate output, 1080P@60Hz
for simultaneous output, ABS shell, Black



CG645M

DP to DPX3 With MICRO converter

Support for DP1.4 and below
Single port usage supports Up to 8K@60Hz
Maximum support for multiple ports 4K@60Hz
Aluminum shell, Grey



CG605

Display Port M/HDMI AM

1080P@60Hz, 24K Gold plated Connector, white
1.8m



CG606

**Display Port M/
DVI 24+1 M Cable**

1080P@60Hz, 24K Gold plated Connector, black
1.8m



CG607

Display Port M/VGA M Cable

1080P@60Hz, 24K Gold plated Connector, black
1.8m



CA331

DP M to HDMI F Adapter

1080P@60Hz, Gold plated



CA332

DP M to DVI (24+5) F Adapter

1080P@60Hz, Gold plated



CA333

DP M to VGA F Adapter

1080P@60Hz, Gold plated



CA341

DP M to HDMI F Adapter

4K@30Hz, Gold plated



CA341A

DP M to HDMI F Active Adapter

4K@30Hz, Gold plated

Mini DP



CG611

**Mini Display Port cable
M/HDMI AF**

Nickel plated, 1080P@60Hz/2160P@24Hz, white
0.15m



CG612

**Mini Display Port cable
M/DVI(24+5) F**

Nickel plated, 1080P@60Hz/2160P@24Hz, white
0.15m



CG613

**Mini Display port cable
M/VGA F**

Nickel plated, 1080P@60Hz white
0.15m



CG615

Mini Display Port M/HDMI AM

1080P@60Hz, 24K Gold plated Connector, white
1.8m



CG611M

**Mini Display Port
Cable M/HDMI A F, Active**

Gold plated, 4K@30Hz, Aluminum shell, Black



CG612M

**Mini Display Port Cable
M/DVI(24+5)F**

Active, Gold plated, 4K@30Hz, Aluminum shell, Black



CG613M

**Mini Display Port Cable
M/VGA F**

Gold plated, 1080P@60Hz, Aluminum shell, Black



CG646M

**Mini Display Port/M to
HDMI/F+VGA/F**

Gold plated, HDMI: 4K@30Hz
VGA: 1920*1200@60Hz
Aluminum shell, Black



CG644

**3-in-1 mini Displayport to
HDMI/VGA with Audio
Output Converter**

4K@30Hz for separate output, 1080P@60Hz for simultaneous output, ABS shell, Black



CG647

**4-in-1 mini Displayport to
HDMI/DVI/VGA with
Audio Output Converter**

4K@30Hz for separate output, 1080P@60Hz for simultaneous output, ABS shell, Black

CG618

**Mini Display Port M/
DVI(24+1) M Cable**

1080P@60Hz,24K Gold plated Connector, white
1.8m



CG619

Mini Display port M/VGA M

1080P@60Hz,24K Gold plated Connector, white
1.8m



CA334

Mini DP M to HDMI F Adaptor

Gold plated



CA335

Mini DP M to VGA F Adaptor

Gold plated



CA334A

**Mini DP M to VGA F Activer
Adaptor**

4K@30Hz, Gold plated



HDMI&VGA&DVI

CG591

HDMI AM/VGA F

1080P@60Hz,HDMI connector: Gold plated,
VGA,Nickel plated ,blue PBT,black
0.15m



CG592

HDMI CM/VGA F

HDMI connector: Gold plated;
VGA,Nickel plated ,1080P@60Hz,white
0.15m



CG598

**HDMI/AM to VGA/M
Cable with power and Audio**

Gold plated
Material: PVC
Connector 1: HDMI type A male+micro USB
Connector 2: VGA Male+audio
Cable OD: 3.3x12.3mm
VGA: 1080P@60Hz
Audio Jack: TRS 3.5mm
1.8m



CG599

**HDMI/AM to
DP Cable**

Gold plated
Material: PVC
Connector 1: HDMI type A male+USB
Connector 2: DisplayPort Female
Cable OD: 5.0mm
DP: 3840X2160@30Hz
0.15m



CG599C

HDMI/AM to DP Cable

Gold plated
Material: PVC
Connector 1: HDMI type A male+USB
Connector 2: DisplayPort Male
Cable OD: 5.0mm
DP: 3840X2160@30Hz
1.8m



CG492

**VGA/M to DVI-D(24+1)
/M Cable with power**

Gold plated
Material: PVC
Connector 1: VGA Male+USB
Connector 2: DVI-D(24+1) Male
Cable OD: 5.0mm
DVI: 1080P@60HZ
1.8m



CG497

**HDMI F to
MINI DP M Cable,Gold plated**

Material: PVC
Connector 1: HDMI type A male+USB
Connector 2: DisplayPort Male
Cable OD: 5.0mm
DP: 3840X2160@30Hz



CG493

**VGA/M to HDMI/AM
Cable with power and audio**

Gold plated
Material: PVC
Connector 1: VGA Male+USB+audio
Connector 2: HDMI type A male
Cable OD: 5.0mm
HDMI: 1080P@60HZ



CG495

**VGA M to DP M Cable
with powe**

Gold plated
Material: PVC
Connector 1: VGA Male+USB
Connector 2: Display port Male
Cable OD: 5.0mm
DVI: 1080P@60HZ



CG491

**DVI(24+1) M to
VGA F Converter**

Connector 1: DVI (24+1) Male
Connector 2: VGA Female
Max Resolution: 1080P@60HZ
Plug: Gold-plated
Shell material: ABS
Outer mold material: PVC
Length: about 20cm(plug not be counted)
black
0.15m



CG490

**DVI-D(24+1)/M to
VGA/M Cable**

Gold plated
Material: PVC
Connector 1: DVI-D(24+1) Male
Connector 2: VGA Male
Cable OD: 5.0mm
VGA: 1080P@60HZ



CG496

**DVI-D(24+1)/M to
DP M Cable**

Gold plated
Material: PVC
Connector 1: DVI-D(24+1) Male
Connector 2: DisplayPort Male
Cable OD: 5.0mm
DisplayPort: 3840X2160@30Hz



CA336

**HDMI/AF to VGA/
M+Audio Adaptor**

Gold plated
Material: ABS
Connector 1: HDMI type A Female
Connector 2: VGA Male+audio
VGA: 1080P@60HZ
Audio Jack: TRS 3.5mm



CA337

**VGA/M to HDMI/
AF Adaptor**

Gold plated
Material: ABS
Connector 1: VGA Male+audio+micro USB
Connector 2: HDMI type A Female
HDMI: 1080P@60HZ
Audio Jack: TRS 3.5mm





PC PERIPHERAL ELECTRONICS



Beyond your imagination

HDMI Splitter



DD412A
HDMI Splitter/1*2/1.4V(3D)
1080P@60Hz, Metal case, Black



DD414A
HDMI Splitter/1*4/1.4V(3D)
1080P@60Hz, Metal case, Black



DD418A
HDMI Splitter/1*8/1.4V(3D)
1080P@60Hz, Metal case, Black



DD422
HDMI 2.0 Splitter 1x2
2.0V, Support 4K@60Hz/YUV 4:4:4, HDCP2.2,
Metal case, black



DD424
HDMI 2.0 Splitter 1x4
2.0V, Support 4K@60Hz/YUV 4:4:4, HDCP2.2,
Metal case, black



DD428
HDMI 2.0 Splitter 1x8
2.0V, Support 4K@60Hz/YUV 4:4:4, HDCP2.2,
Metal case, black

HDMI Switch



DD432
HDMI Switch 2*1ports 1.4V(3D)
1080P@60Hz, Metal case, Black



DD433
HDMI Switch 3*1ports 1.4V(3D)
1080P@60Hz, Metal case, Black



DD434
HDMI Switch 4*1ports 1.4V(3D)
1080P@60Hz, Metal case, Black



DD435
HDMI Switch 5*1ports 1.4V(3D)
1080P@60Hz, Metal case, Black



DD463
HDMI 2.0 Switcher 3x1
2.0V, Support 4K@60Hz/YUV 4:4:4, HDCP2.2,
Metal case, black



DD465
HDMI 2.0 Switcher 5x1
2.0V, Support 4K@60Hz/YUV 4:4:4, HDCP2.2,
Metal case, black

HDMI KVM SWITCH



DD221
2 Port HDMI KVM Switch
1.4V, 1080P@60Hz, Plastic case, black



DD221A
2 Port HDMI KVM with Button Switch
1.4V, 1080P@60Hz, Plastic case, black



DD222
HDMI KVM Switch/2*1
1.4V, 1080P@60Hz, Metal case, black



DD224
HDMI KVM Switch/4*1
1.4V, 1080P@60Hz, Metal case, black

VGA Splitter



DD132
VGA Splitter/1*2
350MHz, Metal case, Black



DD134
VGA Splitter/1*4
350MHz, Metal case, Black



DD138
VGA Splitter/1*8
350MHz, Metal case, Black

Extender



DD471
HDMI RJ45 Extender
Support 4K@30Hz, length up to 60m,
Metal case, Black



DD473
HDMI Fiber Optic Extender
(Uncompressed)
Support Max Resolution 4K@30Hz
Transmission distance: standard 2km (Uncompressed);
maximum 20km, Black, Metal case




DD474
HDMI Fiber Optic Extender
Support Max Resolution 1080P@60Hz
Transmission distance: standard 20km
(compression); maximum 80km,
Black, Metal case



DD191
VGA RJ45 Cat5e/6
Extender
length up to 100m, Metal case,
Black



DD192
VGA fiber optic Extender
Support Max Resolution 1080P@60Hz
Transmission distance: standard 20km
(compression); maximum 80km,
Black, Metal case



USB-C Data Cable

CU420

USB 3.1 C/M to C/M cable with IC
Black, 1m



CU400

USB 3.1 C/M to C/M cable
Black, 1m



CU401

USB 3.0 A/M to C/M cable
Metal case, Black



CU405

USB 3.0 A/M to C/M cable
Black, 1m



CU409

USB 3.1 C/M to USB 3.0 A/F cable
Black, 0.22m



USB-C Video Convert Cable

CU421C

USB 3.1 C/M to VGA cable
Plastic shell, Black
1.8m



CU423C

USB 3.1 C/M to HDMI A/M cable
Aluminum Shell, Black
1.8m



CU422C

USB 3.1 C/M to DP cable
Plastic shell, Black
1.8m



CU422MC

USB 3.1 C/M to DP cable
Aluminum Shell, Space Gray
1.8m



CU423MC

USB 3.1 C/M to HDMI A/M cable
Aluminum Shell, Space Gray
1.8m



CU423M C-PD

USB 3.1 C/M to HDMI A/M cable with PD
Aluminum Shell, Space Gray
1.8m



CU422M C-PD

USB 3.1 C/M to DP cable with PD
Aluminum Shell, Space Gray
1.8m



USB-C Dongle

DU320M

USB Type C to Gigabit Ethernet Adapter
Dark Gray, 0.2m



CU423

USB Type-C to HDMI adapter Cable
White, 0.175m



CU421

USB Type C to VGA adapter Cable
White, 0.175m



CU422

USB Type C to DP adapter Cable
White, 0.175m





CU423M
USB Type C to HDMI Dongle
2160P@60Hz, Aluminum Shell, Space Gray
0.15m



CU421M
USB Type C to VGA Dongle
1080P@60Hz, Aluminum Shell, Space Gray
0.15m



CU423A
USB Type C to HDMI Dongle Mini
2160P@30Hz, Aluminum Shell, Space Gray
0.15m



CU422M
USB Type C to DP Dongle Mini
2160P@60Hz, Aluminum Shell, Space Gray
0.15m



CU452
USB Type C to HDMI Dongle with PD
2160P@60Hz, Aluminum Shell, Space Gray
0.15m



CU453
USB Type C to DP Dongle with PD
2160P@60Hz, Aluminum Shell, Space Gray
0.15m

USB TYPE-C DOCKING



CU426M
USB Type C/M to VGA/F+USB 3.0 A/F +Type C/F Docking
Silver 3 in 1, about 10.5cm(Shell & plug not be counted)



CU427M
USB Type C/M to HDMI A/F+USB 3.0 A/F +Type C/F Docking
Silver 3 in 1, about 10.5cm(Shell & plug not be counted)



CU451
USB Type C to VGA+HDMI +USB+PD Docking
Aluminum Shell 4 in 1, Space Gray, 0.15m



CU454
USB Type C to HDMI +USB+PD Docking
Aluminum Shell 3 in 1, Space Gray, 0.15m



CU456
USB Type C to RJ45 +AUDIO+PD Docking
Aluminum Shell 3 in 1, Space Gray, 0.15m



CU457
USB Type C to HDMI +USB+TF+PD Docking
Aluminum Shell 4 in 1, Space Gray, 0.15m



CU463
USB Type C to HDMI+USB*3 +RJ45+TF+SD+PD Docking
Aluminum Shell 8 in 1, Space Gray, 0.15m



CU4633
TYPE C to USB3.0*3+RJ45 +USB-C PD Docking
5 in 1, Space Gray



CU4634
TYPE C to USB-C PD +USB3.0*3+SD+TF Docking
6 in 1, Space Gray



CU4635
TYPE C to USB3.0*3+HDMI +RJ45+USB-C PD Docking
6 in 1, Space Gray



CU4636
TYPE C to USB3.0*3+HDMI
+RJ45+USB-C PD Docking
7 in 1, Space Gray



CU465
USB Type C to HDMI+USB*2
+RJ45+Audio+USB-C+PD Docking
Aluminum Shell 7 in 1, Space Gray, 0.15m



CU4662
TYPE C to USB3.0*2+HDMI+Audio
+USB-C DATA*2+USB-C PD Docking
Aluminum Shell 7 in 1, Space Gray



CU467
USB Type C to HDMI+VGA
+USB*5+RJ45+Audio+TF+SD
+Wireless charging+PD Docking
13 in 1, Space Gray, 0.15m



CU464
USB Type C to HDMI+RJ45
+USB 3.0 x3+SD+TF+PD Docking
Aluminum Shell 8 in 1, Space Gray, 0.15m



CU466
USB Type C to HDMI+USB*3
+Audio+PD Docking
Aluminum Shell 6 in 1, Space Gray, 0.15m



CU4663
TYPE C to USB3.0*3+RJ45
+USB-C PD Docking
Aluminum Shell 5 in 1, Space Gray



CU425M
USB Type C to HDMI+VGA
+USB*3+TF+AUDIO+PD Docking
Aluminum Shell 8 in 1, Space Gray, 0.15m



CU458
USB Type C to HDMI+USB*2
+RJ45+TF+SD+PD Docking
Aluminum Shell 7 in 1, Space Gray, 0.15m



CU4583
TYPE C to USB3.0+HDMI
+VGA+Audio+USB-C PD Docking
Aluminum Shell 5 in 1, Space Gray, 0.15m



CU4372
TYPE C to USB-C PD
+USB3.0*3+HDMI Docking
5 in 1, Space Gray



CU4374
TYPE C to USB3.0*3+HDMI
+SD+TF Docking
6 in 1, Space Gray



CU4582
TYPE C to USB3.0*2+HDMI
+RJ 45+Audio+USB-C PD Docking
Aluminum Shell 6 in 1, Space Gray, 0.15m



CU4371
TYPE C to USB-C PD+USB3.0*2
+SD+TF+HDMI Docking
6 in 1, Space Gray



CU4373
TYPE C to USB-C PD+USB3.0*2
+HDMI+USB-C DATA Docking
5 in 1, Space Gray



CU4375
TYPE C to USB3.0*3+SD+TF Docking
5 in 1, Space Gray



CU4376
TYPE C to USB3.0*3+HDMI Docking
4 in 1, Space Gray



CU4377
TYPE C to USB3.0*3 HUB
3 in 1, Space Gray



CU4681
TYPE C to RJ45+HDMI+VGA+TF
+SD Slot+USB3.0*3+USB-C PD Docking
9 in 1, Space Gray



CU4682
TYPE C to USB3.0*3+HDMI+VGA
+SD Slot+USB3.0*4+USB-C PD Docking
6 in 1, Space Gray



CU4684
TYPE C to RJ45+HDMI+USB3.0*3
+USB-C PD+VGA Docking
7 in 1, Space Gray



CU4685
TYPE C to RJ45+HDMI+VGA+DP+TF
+SD Slot+USB3.0*4+Audio Jack+PD Docking
12 in 1, Space Gray



CU4701
USB Type C to USB3.0*3+USB2.0*2
+VGA+RJ45+SD+TF+Audio jack+HDMI
+USB-C DATA*2 +USB-C PD Docking
14 in 1 HUB, Silver, 0.25m



CU4703
USB Type C to USB3.0*3+USB2.0*2+VGA
RJ45+SD+TF+Audio jack+HDMI+DP
+ USB-C DATA*2 +USB-C PD Docking
15 in 1 HUB, Silver, 0.25m

USB-C Hub



DH310A
USB Type C/M to 4*USB3.0 A/F HUB
Aluminum Shell 4 in 1, Space Gray, 0.15m



DH318
USB Type C to USB3.0*3+HDMI HUB
Aluminum Shell 4 in 1, Space Gray, 0.15m



DH311A
USB Type C to USB3.0*3+RJ45 HUB
Aluminum Shell 4 in 1, Space Gray, 0.15m



DH302C
USB 3.1 type C HUB
4 in 1, Black, 0.15m



DH319
USB Type C to USB3.0*3+VGA HUB
Aluminum Shell 4 in 1, Space Gray, 0.15m



CORE VALUE OF VCOM BRAND

Brand target: to be the global NO.1 brand on computer peripherals
 Brand character: over-value
 Slogan: Beyond your imagination
 Brand positioning: one-stop supplier for global computer peripherals
 Service positioning: an entire consultative and exhaustive service

DISTRIBUTE VCOM BRAND PRODUCTS

VCOM is a rapid developing brand, we have distributors agents in 58 countries up till now. We would like to work with you to develop your local market, move forward together to a brilliant prospect. Contact us now!
 vcom@vcom.hk

