

www.vcom.com.hk


VCOM INTERNATIONAL LTD.

Head Quarter

>12F, Building D, Youke Business Center, Kexin Rd, Tangxia, Tianhe District,
Guangzhou City, Guangdong Province, China
Tel:+86-20-88525625 Fax:+86-20-88525625 Email:vcom@vcom.hk

Cable & Electronic Factory

>Xiaopenggang Industrial Zone, Longxi Town, Beibu District, Huizhou City,
Guangdong Province, China
Tel:+86-752-6873123 Fax:+86-752-6873155



TO BE THE GLOBAL NO.1 BRAND ON COMPUTER PERIPHERALS

www.vcom.com.hk

COMPANY PROFILE

VCOM INTERNATIONAL LTD is one of the subsidiaries of VCOM Group. It was founded in 2004, located in Guangzhou China. It is professional in intelligent building cabling system. We are a collectivization enterprise with R&D, sales and service. We have three production bases, which are located in Dongguan, Huizhou and Fuzhou Jiangxi.

We have independent intellectual property rights of VCOM brand. After years of continuous development and innovation, VCOM has become integrated cable industry recognized as the most valuable international brand. VCOM has a high reputation in domestic and abroad. We have branches agents in major cities in China, and have agents in more than 98 countries in the world.

Relying on powerful R&D team and production technology, we have developed Cat5e UTP/FTP/SFTP and Cat6 systems, Cat7 cabling system, coaxial CCTV system, telephone voice system, audio and video teaching system and so on. The SFTP Cat5e cable structure has obtained China national practical patent. VCOM has passed the international ISO9001 (2000) quality system certificate, our products passed the UL, CE, VDE certificates and China 3C certification.

VCOM takes the concept of win-win cooperation, continues to expand and deepen the business channels. We set up branches or agents not only in China but in all over the world. We established a perfect sales and after-sales service system, to promote VCOM brand powerful. With stable quality and good reputation, excellent market achievements for successive years, VCOM have all kinds of industry users and supports. VCOM cabling system products have been widely used in the financial, medical, university, airports, sea ports and train stations and other various of industries project.

VCOM International LTD, will do more detailed market analysis and surveys to develop more user-friendly products and solutions. We are continuously to make contribution to the development of industry by our own strenthhs



CONTENTS

1. Computer Cables

1.1 Active Optical Cable.....	01
1.2 HDMI Cable.....	05
1.3 Display Port.....	10
1.4 DVI Cable.....	15
1.5 VGA Cable.....	16
1.6 Audio/RCA Cable.....	17
1.7 Toslink Cable.....	17
1.8 USB Cable.....	18
1.9 HDD/SATA Cable.....	21
2.0 Power Cable.....	22
2.1 Lan cable and tools.....	24
2.2 Telephone cable & tools.....	28
2.3 Cabinet.....	29

2. AV Adaptor

2.1 Audio/Video Adaptor.....	31
2.2 Audio/Video Converter.....	33

3.USB Type C Series

3.1 USB Data Cable.....	39
3.2 USB4 Cable.....	41
3.3 USB-C Data Cable.....	43
3.4 USB-C Video Convert Cable.....	43
3.6 USB-C Dongle.....	45
3.7 USB-C Docking.....	46
3.8 USB-C HUB.....	47

Smart NET-FIBER HDMI Cable

Intelligent assembly, can upgrade freely.




www.vcom.com.hk



D3745

Smart NET-FIBER HDMI

Support HDMI 2.0V
Support 18Gbps, HDCP 2.2/CEC/EDID/HDR
Maximum support 4K @ 60Hz
No external power supply is required
24K Gold Plated connector
Metal shell, Silver
OD: 4.8 mm black
10m/30m/50m/100m/120m/150m/180m/200m



1. One mix-cable (UTP Cat.5e+ om3 optical fiber)
2. Three UHD cable (HDMI2.0+ DP1.4+DVI 4K)
3. Nine adapter
4. Fifteen UHD HDTV signal

Advantage Comparison

HDMI	VS	NET-FIBER UHD CABLE
Round PVC, 4.8mm		UTP CAT5E+ OM3 OPTICAL FIBER
Active optical cable		Passive cable easy installation, can change connector, can change single transmission direction, Supporting following 20+ signal interface
1. HDMI head is too thick, can not be wall-mounted		HDMI 2.1, DP2.2, DP1.4, USB4, HDMI A, A, HDMI D, D, HDMI A, D, HDMI D, A, DVI DVI, HDMI DVI, DP, DP, DP, HDMI A, DP, DVI, mini DP, mini DP, mini DP, mini DP, TYPE C, HDMI A, USB3.0, USB3.1, USB3.2
2. core is easy to break, can not be repaired		Support Update
3. Fixed single-direction, wrong installation can not be repaired		Engineering Installation system
4. Can not upgrade future HDMI 2.1		
5. signal single, DP, DVI needs in addition, purchase increase costs, 6. Active wiring, laser damage can not be repaired		
Can not UPDATE		
Application	NON-installation	Engineering Installation system



Cat5e: 0.5mm Cu PVC OD 5.0
Optical Fiber: 4 Core OM3

www.vcom.com.hk

COMPUTER CABLE SYSTEM



ACTIVE OPTICAL CABLE



D3742A

HDMI 19 M/M Cable

Active optical cable, support HDMI 2.0V
 Support 18Gbps, HDCP 2.2/CEC/EDID/HDR,
 The maximum support 4K @ 60Hz,
 No external power supply is required,
 24K Gold Plated connector, Metal shell, Silver,
 OD: 4.8 mm black
 10m/15m/20m/30m/40m/50m/60m/70m/80m/
 100m/120m/150m/200m



D3743

HDMI 19 M/M Cable

Active optical cable, support HDMI 2.1V,
 Bandwidth up to 48Gbps, Ethernet, 3D,
 HDCP 2.2, HDR, Support 8k @ 60Hz/4K @ 120Hz,
 24K Gold plated Connector, metal hood, black
 3m/5m/10m/15m/20m/30m/40m/50m

D3742D

HDMI A/D M to A/D M Removable connecto

AOC (Active optical cable) support HDMI 2.0V
 Bandwidth up to 18Gbps, HDCP 2.2/CEC/EDID/HDR,
 The maximum support 4K @ 60Hz,
 No external power supply is required,
 24K Gold Plated connector, Metal shell,
 OD: 4.70mm black
 10m/15m/20m/30m/35m/40m/50m/60m/80m/100m



8K UHD

Ultra Transmission Speed

CG862B

HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet,
3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz,
24K Gold plated Connector, black
Metal Shell

0.5m/1.0m/1.5m/2.0m/3.0m



NEW COLOR
NEW OPTION

High-end Series



Linked in f VCOM International Ltd
VCOM www.vcom.com.hk

CG862

HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet,
3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz,
24K Gold plated Connector, black
Metal Shell

0.5m/1.0m/1.5m/2.0m/3.0m



HDMI CABLE

HDMI (High-Definition Multimedia Interface) is the first and only industry-supported, uncompressed, all-digital audio/video interface. By delivering crystal-clear, all-digital audio and video via a single cable, HDMI dramatically simplifies cabling and helps provide consumers with the highest-quality home theater experience. HDMI provides an interface between any audio/video source, such as a set-top box, DVD player, or AV receiver and an audio and/or video monitor, such as a digital television (DTV), over a single cable.

CG860

HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet, 3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz, 24K Gold plated Connector, metal hood, black 0.5m/1m/1.5m/2m



CG579

HDMI AM/AM 2.0V

Bandwidth up to 18Gbps, Ethernet, 3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz, 24K Gold plated Connector, metal hood, black 1.8m/3m/5m

CG577

HDMI AM/AM 2.0V

Support ethernet, 3D, Bandwidth speed of up to 18Gbps, Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels, 21:9 video aspect ratio, HDR, 24K Gold plated Connector, metal hood, black 1.8m/3m/5m/10m



CG578

HDMI AM/AM 2.0V

Support ethernet, 3D, Bandwidth speed of up to 18Gbps, Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels, 21:9 video aspect ratio, HDR, 24K Gold plated Connector, metal hood, black 1.8m/3m/5m/10m

CG517

HDMI AM/AM 2.0V

Support ethernet, 3D, Bandwidth speed of up to 18Gbps, Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels, 21:9 video aspect ratio, HDR, 24K Gold plated Connector, black, Standard 2.0V, 1.8m/3m/5m/10m



CG525

HDMI AM/AM 2.0V

Support Ethernet, 3D, Support 1920*1080@60Hz, 3840*2160@60Hz, 24K Gold plated Connector, black/red 1.5m/1.8m/3m/5m/10m /15m



HDMI AM/AM 1.4V

Support 1920*1080@60Hz, Support 3D@24Hz, 3840*2160@30Hz, 4096*2160@24Hz, 24K Gold plated Connector, Support Ethernet 1.5m/1.8m/3m/5m/10m /15m/20m/25m/40m

HDMI AM/AM 2.0V

Support ethernet, 3D, Bandwidth speed of up to 18Gbps,
Support 1920*1080@60Hz, 3840*2160@60Hz, Up to 32 audio channels,
21:9 video aspect ratio, HDR, 24K Gold plated Connector, metal hood,
Plus Nylon Braid, Black (Standard 2.0V)
1.5m/1.8m/3m/5m/10m/15m



CG526

HDMI AM/AM 1.4V

Support 1920*1080@60Hz, Support 3D@24Hz,
3840*2160@30Hz, 4096*2160@24Hz,
24K Gold plated Connector, Support Ethernet,
Plus Nylon Braid, Black cable with black hood
1.5m/1.8m/3m/5m/10m/15m/20m

CG571

HDMI 19 AM/AM 1.4V

OFC wire, 4 layer shielding, support 3D, 1080p,
Ethernet with nylon
1.8m/3m/5m/10m/15m/20m/25m/30m/50m



CG511

HDMI AM/AM 1.4V

Support 1920*1080@60Hz, Support 3D@24Hz,
3840*2160@30Hz, 4096*2160@24Hz,
24K Gold plated Connector, Support Ethernet, black
1.5m/1.8m/3m/5m/10m/15m/20m/25m/30m/40m/50m



CG805-R

HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet, 3D, HDCP 2.2,
HDR, Support 8k@60Hz/4k@120Hz
24K Gold plated Connector
Black cable
Two-color PVC molding
1.5m/2m/3m



CG805-GY

HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet, 3D, HDCP 2.2,
HDR, Support 8k@60Hz/4k@120Hz
24K Gold plated Connector
Black cable
Two-color PVC molding
1.5m/2m/3m





CG863

Ultra 8K HDMI Cable

Bandwidth up to 48Gbps, Ethernet, 3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz, 24K Gold plated Connector, black Metal Shell, 1m/1.5m/2m



Display Port Cable 1.4V – Support 32Gbps / 8K



CG633

Display Port Cable 1.4V

total bandwidth:32Gbps/8k@60Hz 4K@140Hz, Support HBR3, HDCP2.2/CEC/EDID, 24K Gold plated Connector, Metal Shell, 1m/1.5m/2m



CG864

HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet, 3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz, 24K Gold plated Connector, Black cable, Metal Shell, 1.5m/2m/3m



CG634

Display Port Cable 1.4V

total bandwidth:32Gbps/8k@60Hz 4K@140Hz, Support HBR3, HDCP2.2/CEC/EDID, 24K Gold plated Connector, Metal Shell, 1.5m/2m/3m



CG851

Ultra Slim HDMI AM/AM 2.1V

Bandwidth up to 48Gbps, Ethernet, 3D, HDCP 2.2, HDR, Support 8k@60Hz/4k@120Hz, 24K Gold plated Connector, black Plastic shell, 36AWG, OD: 3.2mm, 1.0m/1.5m



D3751

Display Port Cable 1.4V

Display port M/M, AOC support 1.4V, total bandwidth: 32Gbps/8k@60Hz 4K@144Hz, 4K/120Hz, Support HDR3, HDCP2.2/CEC/EDID, 24K Gold plated Connector, OD: 4.8mm, Black 3m/5m/10m/15m/20m/25m/30m/40m/50m



Display Port Cable 1.4V – Support 32Gbps / 8K

CLASSICS

HIGH SPEED,
FOR YOUR CLASSIC BLESSING!



CG622-GW

Display port M/M 1.4V

Bandwidth up to : 32Gbps
8k@60Hz/ 4k@140Hz
Support HBR3, HDCP2.2/CEC/EDID
24K Gold plated Connector
Black cable
Two-color PVC molding
1.5m/2m/3m



CG622-BG

Display port M/M 1.4V

Bandwidth up to : 32Gbps
8k@60Hz/ 4k@140Hz
Support HBR3, HDCP2.2/CEC/EDID
24K Gold plated Connector
Black cable
Two-color PVC molding
1.5m/2m/3m



DISPLAY PORT CABLE

Display Port is a digital display interface developed by the Video Electronics Standards Association (VESA). The interface is primarily used to connect a video source to a display device such as a computer monitor, though it can also be used to transmit audio, USB, and other forms of data. The VESA specification is royalty-free. VESA designed it to replace VGA, DVI, and LVDS by creating a high performance standard. Backward compatibility to VGA and DVI by using adapter dongles enables consumers to use Display Port fitted video sources without replacing existing display devices. Although Display Port supports much of the same functionality as HDMI, it is expected to complement the interface, not replace it.



CG632

Display Port Cable 1.4V

Display port M/M 1.4V
total bandwidth:32Gbps/8k@60Hz/4K@140Hz
Support HBR3, HDCP2.2/CEC/EDID
24K Gold plated Connector,OD:7.3mm,Black
1.5m/2m



CG631

Display Port Cable 1.2V

Display port M/M 1.2V
total bandwidth:21.6Gbps/4K@60Hz/1080P@60Hz,
24K Gold plated Connector,OD:7.3mm, Black
1.5m/2m



CG681

Mini Display Port M/
Display Port M 1.2V

4K@60Hz,24K Gold plated Connector,white
1.5m

DVI CABLE

DVI (Digital Visual Interface) is a high-definition multimedia interface that provides high-bandwidth uncompressed digital audio and video transmission. Core technology based on the latest generation of TMS, come with the contents of megabits per second bandwidth, high-definition video and multichannel audio data combined into a single interface to support up to 1600X1200 LUXGA resolution, the maximum transmission speed to 5Gbps, in order to realize the "high-definition Link", mainly used in digital high-definition TV, plasma TV, LCD TV, rear projection TVs, projectors, DVD recording / playback machine, and digital video devices such as video and audio signal transmission.


CG442GD
DVI 24+1 M/M +2 Ferrite

Bare copper conductor .24K Gold Plated Connector
 Black .New model
 1.5m/1.8m/3m/5m


CG441GD
DVI 24+1 M/M +2 Ferrite

.24K Gold Plated Connector,
 Digital transfers at rates up to 9.9 Gbps,
 Support DVI devices, such as HDTV, DVD player, LCD TV,
 Digital TV and other similar devices. Black.
 1.5m/1.8m/3m/5m


CG484G
HDMI AM/DVI 24+1M

Bare copper conductor .24K Gold Plated Connector
 black .New model
 1.8m/3m/5m


CG484GD
HDMI AM/DVI 24+1M with 2Ferrite

Bare copper conductor .24K Gold Plated Connector
 black .New model
 10m

D3740
DVI(24+1)M to DVI(24+1)M AOC

DVI(24+1)M to DVI(24+1)M AOC(Active optical cable) ,
 support 1080P@60Hz,
 .24K Gold Plated connector ,
 Metal shell,OD:4.70mm black



VGA CABLE

DVI (Digital Visual Interface) is a high-definition multimedia interface that provides high-bandwidth uncompressed digital audio and video transmission. Core technology based on the latest generation of TMS, come with the contents of thousands of megabits per second bandwidth, high-definition video and multichannel audio data combined into a single interface to support up to 1600X1200 LUXGA resolution, the maximum transmission speed to 5Gbps, in order to realize the "high-definition Link", mainly used in digital high-definition TV, plasma TV, LCD TV, rear projection TVs, projectors, DVD recording / playback machine, and digital video devices such as video and audio signal transmission.


CG341AD
**VGA cable
 HD 15 M/M 3+4 +2Ferrite**

Nickel Plated
 Blue connector Black cable
 1.5m/1.8m/3m/5m/10m/15m/20m/25m/30m/35m/40m/50m


CG342AD
**VGA cable
 HD 15 M/F 3+4 +2Ferrite**

Nickel Plated
 Blue connector Black cable
 1.5m/1.8m/3m/5m/10m


CG341D
**VGA cable
 HD 15 M/M 3+4 +2Ferrite**

Nickel Plated
 Black molded connector
 1.5m/1.8m/3m/5m/10m/15m/20m/25m/30m/35m/40m/50m


CG381D
**VGA cable
 HD 15 M/M 3+8 +2Ferrite**

Gold Plated
 Black molded connector
 1.8m/3m/5m/10m/15m/20m/25m/30m/35m/40m/50m


CG021
**VGA cable
 HD 15M/2 x HD 15F**

Berge cable .Nickel Plated
 0.2m



AUDIO&VIDEO

A Standard type of cable used to transmit analog audio and composite-video signals between devices such as televisions, satellite or cable receivers, VCRs, game console systems, speakers and more.

CV212
3.5ST M/ 2RCAM
 Nickel Plated
 1.5m/1.8m/3m/5m



CV201
3.5ST M/3.5ST M
 Nickel Plated
 1.5m/1.8m/3m/5m



CV022
2RCAM/ 2RCAM
 Nickel Plated
 1.8m/3m/5m



CV202
3.5ST M/3.5ST F
 Nickel Plated
 1.8m/3m/5m



CV033
3RCAM/ 3RCAM
 Nickel Plated
 1.8m/3m/5m



CV203
3.5ST M/2*3.5ST F
 Nickel Plated
 0.2m



Toslink Cable

CV905
VCOM Toslink Cable
 1.8m



CV906
VCOM Toslink Cable
 Metal hood
 1.8m



CV903
VCOM Toslink Cable
 1.8m



USB CABLE

USB (Universal Serial Bus) is a specification to establish communication between devices and a host controller (usually personal computers). USB is short for Universal Serial BUS. USB has the advantages of high transmission speed (the speed of USB1.1 is 12Mbps, USB 2.0 is 480Mbps, USB3.0 is 5Gbps), easy to use, hot swapping support, flexible connection, independent power supply. It can be used to connect with the mouse, keyboard, printer, scanner, camera, flash-disk, MP3, mobile phone, digital camera, mobile HDD, external floppy drive, USB network card, ADSL Modem, Cable Modem and so on, almost all the external equipments.

CU201-TL
USB 2.0 Printer Cable
 USB AM/BM 2.0V, Transparent Blue
 1.5m/1.8m/3m/5m



CU201-B
USB 2.0 Printer Cable
 USB AM/BM 2.0V, Black
 1.5m/1.8m/3m/5m



CU202-TL
USB 2.0 Extension Cable
 USB AM/AF 2.0V, Transparent Blue
 1.5m/1.8m/3m/5m



CU202-B
USB 2.0 Extension Cable
 USB AM/AF 2.0V, Black
 1.5m/1.8m/3m/5m



CU215
USB 2.0 Data Cable
 USB AM/Min USB SP 2.0V, Black
 1.5m/1.8m



CU271V
USB 2.0 Charging & Data Cable
 USB AM/Micro USB 2.0V (with VCOM logo), Black
 1m/1.5m/1.8m



CU302
USB 3.0 Extension Cable
 USB AM/AF 3.0V, Blue
 1.8m/3m



CU303
USB 3.0 Extension Cable
 USB AM/AM 3.0V, Blue
 1.8m/3m





CU311
USB 3.0 Data Cable
 USB AM/Micro USB BM 3.0V,blue
 1.8m/3m



CU804
USB to Serial
 USB to Serial cable with IC (single chip),
 RS232, with CD, Transparent cable
 1.2m



CU807
USB 2.0 to PS/2
 USB 2.0 to PS/2, grey
 0.2m



CU827A
**USB 3.0 Active
 Extension Cable with
 Signal Booster**
 Black, OD-5.5mm
 5m/10m/15m



CU823
USB 2.0 Extension
 USB Extension W/IC,
 Transparent cable with black hood
 5m/10m/15m



CU806
USB to Printer
 USB to Printer with IC, black
 1.2m



CU834
**USB 2.0 AM to
 Ethernet RJ-45**
 USB 2.0 AM to Ethernet RJ-45 Jack , White ,
 10/100 Mbps
 This Ethernet to USB adapter is compatible with
 Windows® 1.8/7/Vista/XP, Mac OS X 10.6/10.7/10.8/10.9/10.10,
 and Chrome OS.
 0.15m



DUJ312M
**USB 3.0 to Ethernet
 RJ45 LAN Gigabit Adapter**
 Black, Chrome OS, Windows 10/8, 1/8/7/XP/Vista
 0.2m



CU320M1
**USB3.0 to HDMI/F
 Adapter**
 Connector 1: USB 3.0 A Male
 Connector 2: HDMI Type A Female
 HDMI : Max 1920*1080@60Hz



CU321M
**USB3.0 to VGA/F
 Adapter**
 Support Max Resolution 1920*1080@60Hz,
 Compatible with Windows 10/8, 1/8/7, 0, 15m



CU320M
**USB3.0 to HDMI/F
 Adapter with audio**
 Support Max Resolution 1920*1080@60Hz,
 Compatible with Windows 10/8, 1/8/7,
 0, 15m



CU322M
**USB3.0 to HDMI/F +
 VGA/F Adapter**
 Support Max Resolution 1080p@60Hz,
 compatible with Windows 10/8, 1/8/7, 0, 15m

USB 2.0 HDMI Capture Card



DD601
USB 2.0 HDMI Capture Card
 HDMI resolution: Max input can be 4K@30Hz
 Video output resolution: Max output can be 1080P@30Hz
 Support video format: 8/10/12bit deep color
 cable distance:<15m AWG26 HDMI standard cable



DD602
USB 2.0 HDMI Capture Card
 HDMI resolution: Max input can be 4K@30Hz
 Video output resolution: Max output can be 1080P@30Hz
 Support video format: 8/10/12bit deep color
 cable distance: 1.8m



DD603
USB 2.0 HDMI Capture Card
 HDMI resolution: Max input can be 4K@30Hz
 Video output resolution: Max output can be 1080P@30Hz
 Support video format: 8/10/12bit deep color
 cable distance:<15m AWG26 HDMI standard cable



DD604
USB 2.0 HDMI Capture Card
 HDMI resolution: Max input can be 4K@30Hz
 Video output resolution: Max output can be 1080P@30Hz
 Support video format: 8/10/12bit deep color
 Audio Output: 3.5MM 2.0 stereo output

USB 3.0 HARD DRIVE ADAPTER CABLE

CU815
 USB 3.0 to
 2.5 Inch SATA III Hard
 Drive Adapter Cable
 0.22m



CU816
 USB 3.0 to
 2.5/3.5 Inch SATA III &
 SSD Hard Drive Adapter Cable
 0.43m



CU818
 USB Type-c 3.0 to
 2.5 Inch SATA III Hard
 Drive Adapter Cable
 0.22m



CU819
 USB Type C to
 2.5/3.5 Inch SATA III & SSD
 Hard Drive Adapter Cable
 right angle
 0.24m



PC INTERNAL DATA CABLE

These wires are used to connect the internal PC's CPU motherboard, CD-ROM, hard disk. The OFC conductor and the high quality PVC insulation can reduce the loss of signal and keep the stability of performance.

CH301
 Serial ATA Cable
 0.45m



CH302R
 Serial ATA Cable
 W/Lock Right Angle
 0.45m



CH313
 E-SATA/SATA Cable
 0.45m



CH321
 SATA+Power Cable
 0.45M+0.45M



CE352
 S-ATA Power
 Cord Y Type
 0.2m+0.2m



CH351
 S-ATA Power
 Cord
 0.15m



CE302
 Power Supplier Cable
 Y Type
 (5.25M/2*5.25F), 0.15m

POWER CABLE

CE001
 Power Cord Monitor
 H03VV-F
 1.5m/1.8m/3m/5m



CE021
 Power Cord Monitor
 H03VVH2-F
 1.5m/1.8m/3m/5m



CE022
 Power Cord EU Type
 For Notebook
 1.5m/1.8m/3m/5m



CE023
 Power Cord EU Type
 H03VVH2-F
 1.5m/1.8m/3m/5m



CE041

Power Cord UK Type

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



CE073

Power Cord South Africa Big

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



CE071

Power Cord South Africa Big

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



CE061

Power Cord AU

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



CE031

Power Cord US Type

SVT 18AWG, OD: 6.1mm
1.5m/1.8m/3m/5m



CE032

Power Cord For Notebook US Type

SVT 18AWG, OD: 6.1mm
1.5m/1.8m/3m/5m



CE033

Power Cord US Type

SPT-1, 18AWG*2C, OD: 2.7*5.4mm



CE042

Power Cord For Notebook UK Type

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



CE074

Power Cord For Notebook South Africa Small

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



CE072

Power Cord For Notebook South Africa Big

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



CE062

Power Cord Notebook For AU

H03VV-F 3G0.50MM² & 3G0.75MM²
1.5m/1.8m/3m/5m



NETWORK CABLE

Networking cables are used to connect one network device to other network devices or to connect two or more computers to share printer, scanner etc. Different types of network cables like Coaxial cable, Optical fiber cable, Twisted Pair cables are used depending on the network's topology, protocol used, etc. The devices can be separated by a few meters (e.g. via Ethernet) or nearly unlimited distances (e.g. via the interconnections of the Internet).

NC514

CAT5e UTP 4pair 24AWG BC&CCA


Product standards : TIA/EIA 568B | ISO/IEC 11801
Frequency: 100MHz
Colour : Grey (Blue, Green, Red, Yellow, Black)
Outer diameter : 5.20±0.20mm
Packaging: 305MR, 2R/ Carton; 100MR, 4R/ Carton.



NC524

CAT5e FTP 4pair 24AWG BC&CCA


Product standards : TIA/EIA 568B | ISO/IEC 11801
Frequency: 100MHz
Colour : Grey
Outer diameter : 5.60±0.20mm
Packaging: 305MR, 2R/ Carton; 100MR, 4R/ Carton.



NC534

SFTP Cat5e 305m 4Pair, 0.50CCA 96Braid

Product standards : TIA/EIA 568B | ISO/IEC 11801
Frequency: 100MHz
Colour : Grey
Outer diameter : 6.00±0.20mm
Packaging: 305MR, 2R/ Carton; 100MR, 4R/ Carton.



NC614

CAT6 UTP 4pair 23AWG BC&CCA

Product standards : TIA/EIA 568B 2-1 | ISO/IEC 11801
Frequency: 250 MHz
Colour : Grey (Blue, Green, Red, Yellow, Black can customize according to the requirements)
Outer diameter : 6.00±0.20mm
Packaging: 305MR, 2R/ Carton; 100MR, 4R/ Carton.



NC624

CAT6 FTP 4pair 23AWG BC&CCA

Product standards : TIA/EIA 568B 2-1 | ISO/IEC 11801
Frequency: 250 MHz
Colour : Grey
Outer diameter : 6.20±0.20mm
Packaging: 305MR, 2R/ Carton.



NC634

CAT6 SFTP 4pair 23AWG BC&CCA

Product standards : TIA/EIA 568B 2-1 | ISO/IEC 11801
Frequency: 250 MHz
Colour : Grey
Outer diameter : 6.50±0.20mm
Packaging: 305MR, 2R/ Carton.



NC544

CAT5e UTP Outdoor 4pair 24AWG BC

Product standards : TIA/EIA 568B | ISO/IEC 11801
Frequency: 100 MHz
Colour : Black
Outer diameter : 6.00±0.20mm
Packaging: 305MR, 2R/ Carton.





PATCH CORD

The transmission frequency of Cat5e is 100MHz;the transmission frequency of Cat6 is 250MHz.

Application range

Fit for 10/1000 BASE-TX Ethernet data transmission rate 10/1000 Mbps, it is kilo mega cyber, interconnection of kilo mega cyber equipment, such as connection kilo mega switchboards, PC with kilo mega network card between kilo mega switchboard, PC between PC, PC between ADSL, PC between HUB, PC between Fibercom, and also between laptop network cards.

Attention

The connection of crossover patch cable is 568A-568B, which is different from standard connection. It is usually suitable to the same equipment connection, such as PC-PC.



NP621

**FTP Cat6 Patch Cord
23AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m/25m/30m



NP611B-N

**UTP Cat6 Patch Cord
with button 23AWG, Green**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP611B-Y

**UTP Cat6 Patch Cord
with button 23AWG, Yellow**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B

**UTP Cat5e Patch Cord with
button 24AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/7m/10m/15m/20m/25m/30m



NP511B-Y

**UTP Cat5e Patch Cord with
button 24AWG, Yellow**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B-N

**UTP Cat5e Patch Cord with
button 24AWG, Green**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B-L

**UTP Cat5e Patch Cord with
button 24AWG, Blue**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP511B-R

**UTP Cat5e Patch Cord with
button 24AWG, Red**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP521

**FTP Cat5e Patch Cord
24AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m/25m/30m



NP531

**SFTP Cat5e Patch Cord
24AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m/25m/30m



NP611B

**UTP Cat6 Patch Cord with
button 23AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/7m/10m/15m/20m/25m/30m



NP631

**SFTP Cat6 Patch Cord with
button 23AWG, Grey**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m



NP611B-L

**UTP Cat6 Patch Cord with
button 23AWG, Blue**

0.5m/1m/1.5m/2m/3m/5m/10m/15m/20m

NETWORK ACCESSORIES & TOOLS



NM001

RJ45 Color Boot White /Green/Red/Blue/Yellow 20PCS/BAG



NM005

RJ45 8P8C CAT5E/UTP /RJ45 20PCS/BAG



NM025

RJ45 8P8C PLUG CAT5E/STP /RJ45/FU 20PCS/BAG



NM006

RJ45 8P8C PLUG CAT6/UTP /RJ45/3U 20PCS/BAG



NM026

RJ45 8P8C PLUG Cat 6/STP/RJ45/3u (one part)



NM241

RJ45 KEYSTONE MOUNT BOX 1PORT



NM242

RJ45 Keystone Mount Box 2Port



CT251

8P8C Coupler



CT261

ADSL US Type



CT253

8P8C Plug/ 2*8P8C 2Jack



NM205

CAT5e UTP Keystone Jack



CT251S

RJ45 Coupler with PCB, Shielded PVC injection molding, Black



CT252S

RJ45 Coupler 8P8C Jack/2*8P8C 2Jack, with PCB, Shielded PVC injection molding, Black



NT087

CAT7 crimp tools, for Cat7 Cat6 Cat5e Cat5 STP Plugs with liner



NT084

Crimping Tool RJ45+RJ11+RJ12



NT101

Cable Tester

TELEPHONE ACCESSORIES



CT044C

4P4C/4P4C Phone Cord Coil White



CT262

6P2C Connector, 20pcs/bag



CT264

6P4C Connector, 20pcs/bag



CT240

4P4C Connector 20pcs/bag



CT201

RJ11 6P4C Coupler



CT212

Phone Box 2Port



Cabinet

D1204	4U 600x450mm
D1206	6U 600x450mm
D1209	9U 600x450mm
D1212	12U 600x450mm
D1216	16U 600x450mm



19inch single section wall mount cabinet

Tempered glass front door with JC01 lock
Removable side panels without lock
1PC fan on top with french plug
1PC fixed shelf
25sets cage nuts
Flat package
Black color

D1204	4U 600x600mm
D1206	6U 600x600mm
D1209	9U 600x600mm
D1212	12U 600x600mm
D1216	16U 600x600mm



19inch double section wall mount cabinet

Tempered glass front door with JC01 lock
Removable side panels with JC01 lock
2PCS fans on top with french plug
1PC fixed shelf
25sets cage nuts
Flat package
Black color

D1220	20U 600x600mm
D1222	22U 600x600mm
D1225	25U 600x600mm
D1227	27U 600x600mm
D1232	32U 600x800mm
D1237	37U 600x800mm
D1242	42U 800x800mm
D1247	47U 800x800mm



19inch standing network cabinet

Tempered glass front door with JC04 lock
Steel back door with JC01 lock
Removable side panels with JC01 lock
2PCS fans on top for 600mm depth cabinet
4PCS fans on top for 800-1000mm depth cabinet
2PCS fixed shelves
2 castors and 2 braked castors
4 adjustable feet
Flat package
Black color



D1252
6-Outlet UK PDU , 1U

ADAPTER

VCOM have different adaptors such as audio adapter, video adapter and data cable terminal. The high quality metal terminal and plastic material can reduce the loss of signal and keep the stability of performance and extended service life.



CA301

DVI 24+5M /HD
15F Adapter
grey



CA312

HDMI 19F/DVI 24+1M
Gold plated Adapter
black



CA311

HDMI 19M/DVI 24+1F
Gold plated Adapter
black



CA313

HDMI F/F
Gold plated Adapter
black



CA316

MINI HDMI M/HDMI AF
Gold plated Adapter
black



CA325

HDMI 19 F/Micro HDMI
19M Gold plated Adapter
black



CA511

3.5ST M/ 2*3.5 STF Adapter
black



CA082

HD15 F/F Mini Type Adapter
Nickel Plated



CA331

DP M to HDMI F Adapter
1080P@60Hz, Gold plated



CA332

DP M to DVI (24+5) F Adapter
1080P@60Hz, Gold plated



CA333

DP M to VGA F Adapter
1080P@60Hz, Gold plated



CA341

DP M to HDMI F Adapter
4K@30Hz, Gold plated



CA341A

DP M to HDMI F Active Adapter
4K@30Hz, Gold plated



CA334

Mini DP M to HDMI F Adapter
Gold plated



CA335

Mini DP M to VGA F Adapter
Gold plated



CA334A

Mini DP M to VGA F Active Adapter
4K@30Hz, Gold plated



CA431M

USB 3.0 C/M to A/F Adapter
Connector 1: USB 3.1 type C Male
Connector 2: USB 3.0 Type A Female
Data transfer: USB 3.1 up to 5Gbps data transfer rate
Plug: Nickel-plated
Material: Aluminum alloy shell



CA436M

USB 3.0 Type C Female to
USB A Male Adapter

Without chip. Support Data Sync and Charging,
and it will NOT support video signal
transmission, Aluminum shell



CA435M

USB 3.0 Type C Female to
USB A Male Adapter

Connector 1: USB 2.0 type A Male
Connector 2: USB 2.0 Type C Female
Data transfer: USB 2.0 up to 480 Mbps
data transfer rate
Plug: Nickel-plated
Material: Aluminum alloy shell

Audio/Video Converter

DP Series ▶▶

CG601

Display Port Cable M/HDMI A F

Gold plated ,1080P@60Hz/2160P@24Hz ,White 0.15m



CG601M

Display Port Cable M/HDMI A F,Active

Gold plated, 4K@30Hz,Aluminum shell, Black ,0.15m



CG602

Display Port Cable M/DVI (24+5) F

1080P@60Hz,24K Gold plated Connector, black 0.15m



CG602M

Display Port Cable M/DVI(24+5)F,Active

Gold plated, 4K@30Hz,Aluminum shell, Black ,0.15m



CG603

Display Port Cable M/VGA F

Gold plated ,1080P@60Hz/2160P@24Hz ,White 0.15m



CG603M

Display Port Cable M/VGA F

Gold plated,1080P@60Hz,Aluminum shell, Black ,0.15m



CG640M

Display Port/M to HDMI/F+VGA/F

Gold plated ,HDMI-4K@30Hz VGA, 1920*1200@60Hz Aluminum shell,Black



CG641

3-in-1 Displayport to HDMI/VGA with Audio Output Converter

4K@30Hz for separate output, 1080P@60Hz for simultaneous output. ABS shell,Black



CG643

4-in-1 Displayport to HDMI/DVI/VGA with Audio Output Converter

4K@30Hz for separate output, 1080P@60Hz for simultaneous output.ABS shell,Black



CG645M

DP TO DPX3 With MICRO converter

Support for DP1.4 and below Single port usage supports Up to 8K@60Hz, Maximum support for multiple ports 4K@60Hz. Aluminum shell, Grey



CG605

Display Port M/HDMI AM

1080P@60Hz ,24K Gold plated Connector,white 1.8m



CG606

Display Port M/ DVI 24+1 M Cable

1080P@60Hz,24K Gold plated Connector, black 1.8m



CG607

Display Port M/VGA M Cable

1080P@60Hz,24K Gold plated Connector, black 1.8m



CG609

Display port M/HDMI AM

4K@60Hz, Active Chip on HDMI 24K Gold plated Connector, Black 1.8m



Mini DP ▶▶

CG611

Mini Display Port cable M/HDMI A F


Nickel plated ,1080P@60Hz/2160P@24Hz,white 0.15m



CG612

Mini Display Port cable M/DVI(24+5) F

Nickel plated ,1080P@60Hz/2160P@24Hz,white 0.15m





CG613

Mini Display Port M/VGA F

Nickel plated ,1080P@60Hz white
0.15m



CG615

Mini Display Port M/HDMI AM

1080P@60Hz,24K Gold plated Connector, white
1.8m



CG611M

Mini Display Port Cable M/HDMI A F,Active

Gold plated ,4K@30Hz,Aluminum shell,Black



CG612M

Mini Display Port Cable M/DVI(24+5)F

Active,Gold plated ,4K@30Hz,Aluminum shell,Black



CG613M

Mini Display Port Cable M/VGA F

Gold plated,1080P@60Hz,Aluminum shell,Black



CG646M

Mini Display Port/M to HDMI/F+VGA F

Gold plated,HDMI-4K@30Hz
VGA :1920*1200@60Hz
Aluminum shell,Black



CG644

3-in-1 mini Displayport to HDMI/VGA with Audio Output Converter

4K@30Hz for separate output, 1080P@60Hz for simultaneous output.ABS shell,Black



CG647

4-in-1 mini Displayport to HDMI/DVI/VGA with Audio Output Converter

4K@30Hz for separate output, 1080P@60Hz for simultaneous output.ABS shell,Black



CG618

Mini Display Port M/DVI(24+1) M Cable

1080P@60Hz,24K Gold plated Connector, white
1.8m



CG619

Mini Display port M/VGA M

1080P@60Hz,24K Gold plated Connector, white
1.8m

HDMI&VGA&DVI



CG591

HDMI AM/VGA F

1080P@60Hz,HDMI connector: Gold plated;
VGA-Nickel plated ,blue PBT,black
0.15m



CG592

Mini HDMI CM/VGA F

HDMI connector: Gold plated;
VGA-Nickel plated ,1080P@60Hz,white
0.15m



CG598

HDMI/AM to VGA/M Cable with power and Audio

Gold plated
Material: PVC
Connector 1: HDMI type A male+micro USB
Connector 2: VGA Male+audio
Cable OD:3.3x12.3mm
VGA : 1080P@60Hz
Audio Jack: TRS 3.5mm
1.8m



CG599

HDMI/AM to DP Cable

Gold plated
Material: PVC
Connector 1: HDMI type A male+USB
Connector 2: DisplayPort Female
Cable OD: 5.0mm
DP: 3840X2160@30Hz
0.15m



CG599C

HDMI/AM to DP Cable

Gold plated
Material: PVC
Connector 1: HDMI type A male+USB
Connector 2: DisplayPort Male
Cable OD: 5.0mm
DP: 3840X2160@30Hz
1.8m



CG497

HDMI F to MINI DP M Cable,Gold plated

Material: PVC
Connector 1: HDMI type A male+USB
Connector 2: DisplayPort Male
Cable OD: 5.0mm
DP: 3840X2160@30Hz

CG492

VGA/M to DVI-D(24+1) /M Cable with power

Gold plated
Material: PVC
Connector 1: VGA Male+USB
Connector 2: DVI-D(24+1) Male
Cable OD: 5.0mm
DVI: 1080P@60HZ
1.8m



CG493

VGA/M to HDMI/AM Cable with power and audio

Gold plated
Material: PVC
Connector 1: VGA Male+USB+audio
Connector 2: HDMI type A male
Cable OD: 5.0mm
HDMI: 1080P@60HZ



CG495

VGA M to DP M Cable with power

Gold plated
Material: PVC
Connector 1: VGA Male+USB
Connector 2: Display port Male
Cable OD: 5.0mm
DVI: 1080P@60HZ



CG491

DVI(24+1) M to VGA F Converter

Connector 1: DVI (24+1) Male
Connector 2: VGA Female
Max Resolution: 1080P@60HZ
Plug: Gold-plated
Shell material: ABS
Outer mold material: PVC
Length: about 20cm(plug not be counted)
Black
0.15m



CG490

DVI-D(24+1)/M to VGA/M Cable

Gold plated
Material: PVC
Connector 1: DVI-D(24+1) Male
Connector 2: VGA Male
Cable OD: 5.0mm
VGA: 1080P@60HZ



CG496

DVI-D(24+1)/M to DP M Cable

Gold plated
Material: PVC
Connector 1: DVI-D(24+1) Male
Connector 2: DisplayPort Male
Cable OD: 5.0mm
DisplayPort: 3840X2160@30Hz



CA336

HDMI/AF to VGA/M+Audio Adapter

Gold plated
Material: ABS
Connector 1: HDMI type A Female
Connector 2: VGA Male+audio
VGA: 1080P@60HZ
Audio Jack: TRS 3.5mm




CA337

VGA/M to HDMI/AF Adapter

Gold plated
Material: ABS
Connector 1: VGA Male+audio+micro USB
Connector 2: HDMI type A Female
HDMI: 1080P@60HZ
Audio Jack: TRS 3.5mm



Enjoy immersive videos



USB Data Cable

Fast Charging and Data cable ▶▶



USB4

The USB-C that does it all



- ◆ Data transfer: 20Gbps USB 4
- ◆ Current Rating: 20V 5A
- ◆ USB Power Delivery :100W
- ◆ Video: Support single 8K@30Hz 5K@60Hz or dual 4K@60Hz



USB4 Cable



CU540M

USB C/M to C/M Cable with IC 40Gbps USB4 Aluminum shell

Gold plated
Data transfer: 40Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 100W
USB Power Delivery :Support
Video: Single 8K@30Hz 5K@60Hz or Dual 4K@60Hz
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 4/i3,USB3.2 & 3.1 Transfer protocol 1.2m



CU520M

USB C/M to C/M Cable with IC 20Gbps USB4 Aluminum shell

Data transfer: 20Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 100W
USB Power Delivery :Support
Video: Single 8K@30Hz 5K@60Hz or Dual 4K@60Hz
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 4/i3,USB3.2 & 3.1 Transfer protocol 2m



CU540

USB C/M to C/M Cable with IC 40Gbps USB4 PVC shell

Data transfer: 40Gbps USB4
Current Rating: 5A
Power: Built in E-Marker Chip support 100W
USB Power Delivery :Support
Video: Single 8K@30Hz 5K@60Hz or Dual 4K@60Hz
Function: Charge, Data Transfer, Video, Audio
Compatible with Thunderbolt 4/i3,USB3.2 & 3.1 Transfer protocol 1.2m

USB-C Data Cable

CU420

USB 3.1 C/M to C/M cable with IC
Black, 1m



CU400

USB 3.1 C/M to C/M cable
Black, 1m



CU401

USB 3.0 A/M to C/M cable
Metal case, Black



CU405

USB 3.0 A/M to C/M cable
Black, 1m



CU409

USB 3.1 C/M to USB 3.0 A/F cable
Black, 0.22m



USB-C Video Convert Cable

CU421C

USB 3.1 C/M to VGA cable
Plastic shell, Black
1.8m



CU423C

USB 3.1 C/M to HDMI A/M cable
Plastic shell, Black
1.8m



CU422C

USB 3.1 C/M to DP cable
Plastic shell, Black
1.8m



D3742CH

USB Type CM to HDMI AM (AOC) Active optical cable
Bandwidth up to 16Gbps, support 4K@60HZ, HDCP 2.2, 24K Gold plated Connector, metal braid, black
OD 4.70mm
1m/2m/3m/5m/10m/15m/20m/25m/30m/35m



CU423MC

USB 3.1 C/M to HDMI A/M cable
Aluminum Shell, Space Gray
1.8m




CU423MC-PD

USB 3.1 C/M to HDMI A/M cable with PD
Aluminum Shell, Space Gray
1.8m



CU422MC-PD

USB 3.1 C/M to DP cable with PD
Aluminum Shell, Space Gray
1.8m



CU422MC

USB Type C to DP cable
Aluminum Shell, Space Gray
Connector 1: USB Type C Male
Connector 2: Displayport Male
DP: Max 4K UHD 3840*2160@60Hz
Length: 1.8m



CU425MC

USB 3.1 C/M to Mini DP cable
Aluminum Shell, Space Gray
Connector 1: USB 3.1 Type C Male
Connector 2: Mini Displayport Male
Mini DP: Max 4K UHD 3840*2160@60Hz



USB-C Dongle

DU320M

USB Type C to Gigabit Ethernet Adapter
Dark Gray,0.2m



CU423

USB Type-C to HDMI adapter Cable
White ,0.175m



CU421

USB Type C to VGA adapter Cable
White ,0.175m



CU422

USB Type C to DP adapter Cable
White ,0.175m



CU423T

USB Type C to HDMI Dongle
2160P@60Hz,Aluminum Shell ,Space Gray 0.15m



CU421T

USB Type C to VGA Dongle
1080P@60Hz,Aluminum Shell ,Space Gray 0.15m



CU423MB

USB Type C to HDMI Dongle Mini
2160P@30Hz,Aluminum Shell ,Space Gray 0.15m



CU422M

USB Type C to DP Dongle Mini
2160P@60Hz,Aluminum Shell ,Space Gray 0.15m



CU452

USB Type C to HDMI Dongle with PD
2160P@60Hz,Aluminum Shell ,Space Gray 0.15m



CU453

USB Type C to DP Dongle with PD
2160P@60Hz,Aluminum Shell ,Space Gray 0.15m



USB TYPE-C DOCKING

CU426M

USB Type C/M to VGA/F+USB 3.0 A/F +Type C/F Docking

Silvery 3 in 1 ,about 10.5cm(Shell & plug not be counted)



CU427M

USB Type C/M to HDMI A/F+USB 3.0 A/F +Type C/F Docking

Silvery 3 in 1 ,about 10.5cm(Shell & plug not be counted)



CU451

USB Type C to VGA+HDMI +USB+PD Docking

Aluminum Shell 4 in 1 ,Space Gray ,0.15m



CU454

USB Type C to HDMI +USB+PD Docking

Aluminum Shell 3 in 1 ,Space Gray ,0.15m



CU456

USB Type C to RJ45 +AUDIO+PD Docking

Aluminum Shell 3 in 1 ,Space Gray ,0.15m



CU457

USB Type C to HDMI +USB+TF+PD Docking

Aluminum Shell 4 in 1 ,Space Gray ,0.15m



CU463

USB Type C to HDMI+USB*3 +RJ45+TF+SD+PD Docking

Aluminum Shell 8 in 1 ,Space Gray ,0.15m



CU464

USB Type C to HDMI+RJ45 +USB 3.0 x3+SD+TF+PD Docking

Aluminum Shell 8 in 1 ,Space Gray ,0.15m





CU465

**USB Type C to HDMI+USB*2
+RJ45+Audio+USB-C+PD Docking**

Aluminum Shell **7 in 1**, Space Gray, 0.15m



CU466

**USB Type C to HDMI+USB*3
+Audio+PD Docking**

Aluminum Shell **6 in 1**, Space Gray, 0.15m



CU4662

**TYPE C to USB3.0*2+HDMI+Audio
+USB-C DATA*2+USB-C PD Docking**

Aluminum Shell **7 in 1**, Space Gray



CU4663

**TYPE C to USB3.0*3+RJ45
+USB-C PD Docking**

Aluminum Shell **5 in 1**, Space Gray



CU467

**USB Type C to HDMI+VGA
+USB*5+RJ45+Audio+TF+SD
+Wireless charging+PD Docking**

13 in 1, Space Gray, 0.15m



CU425M

**USB Type C to HDMI+VGA
+USB*3+TF+AUDIO+PD Docking**

Aluminum Shell **8 in 1**, Space Gray, 0.15m



CU458

**USB Type C to HDMI+USB*2
+RJ45+TF+SD+PD Docking**

Aluminum Shell **7 in 1**, Space Gray, 0.15m



CU4582

**TYPE C to USB3.0*2+HDMI
+RJ45+Audio+USB-C PD Docking**

Aluminum Shell **6 in 1**, Space Gray, 0.15m



CU4583

**TYPE C to USB3.0+HDMI
+VGA+Audio+USB-C PD Docking**

Aluminum Shell **5 in 1**, Space Gray, 0.15m



CU4376

TYPE C to USB3.0*3+HDMI Docking

4 in 1, Space Gray



CU4382

**USB Type C to USB2.0*1+DP+
USB-C PD Docking**

3 in 1, Aluminum Shell
Side 1: USB type C Male
Side 2: USB2.0*1+DP+USB-C PD
DP: Max 8K UHD 7680*4320@60Hz
USB2.0: Up to 480Mbps, USB ports for data syncing
USB-C(Charge): Power Delivery 60W



CU4371

**TYPE C to USB-C PD+USB3.0*2
+SD+TF+HDMI Docking**

6 in 1, Space Gray



CU4381

**USB Type C to USB3.0*1+HDMI
+USB-C PD Docking**

3 in 1, Aluminum Shell
Side 1: USB type C Male
Side 2: USB3.0*1+HDMI+USB-C PD
HDMI: Max 4K UHD 3840*2160@30Hz
USB3.0: Up to 50Mbps, USB ports for data syncing
USB-C(Charge): Power Delivery 60W



CU4384

**USB Type C to USB3.0*1+USB2.0*1+
HDMI+USB-C PD+USB-C DATA Docking**

5 in 1, Aluminum Shell
Side 1: USB type C Male
Side 2: USB3.0*1+USB2.0*1+HDMI+USB-C PD+USB-C DATA
HDMI: Max 4K UHD 3840*2160@30Hz
USB3.0: Up to 50Mbps, USB ports for data syncing
USB2.0: Up to 480Mbps, USB ports for data syncing
USB-C(Charge): Power Delivery 60W
USB-C(data): Up to 480Mbps, USB ports for data syncing



CU4703

**USB Type C to USB3.0*3+USB2.0*2+VGA
RJ45+SD+TF+Audio jack+HDMI+DP
+USB-C DATA*2+USB-C PD Docking**

15 in 1 HUB, Silver, 0.25m





CU4391

USB Type C to USB3.0*2+HDMI+
USB-C PD+RJ45 Docking

5 in 1 Aluminum Shell
Side 1: USB type C Male
Side 2: USB3.0*2+HDMI+USB-C PD+RJ45
HDMI: Max 4K UHD 3840*2160@30Hz
USB3.0: Up to 5Gbps, USB ports for data syncing
RJ45: Up to 1000Mbps network
USB-C(Charge): Power Delivery 60W

CU4392

USB Type C to USB3.0*2+HDMI+
USB-C PD+SD+TF+RJ45 Docking

7 in 1 Aluminum Shell
Side 1: USB type C Male
Side 2: USB3.0*2+HDMI+USB-C PD+SD+TF+RJ45
HDMI: Max 4K UHD 3840*2160@30Hz
USB3.0: Up to 5Gbps, USB ports for data syncing
SD/TF: USB3.0, Support 2 cards reading simultaneously
RJ45: Up to 1000Mbps network
USB-C(Charge): Power Delivery 60W

USB-C Hub



CU4383

USB Type C to USB3.0*4 HUB

4 in 1 Aluminum Shell
Side 1: USB Type C Male
Side 2: USB 3.0*4
Material: Aluminum shell+Nickel plated plug
USB: Up to 5Gbps, USB ports for data syncing
Compatible with USB 2.0 / 1.1 / 1.0
Compatibility: Windows 2000/XP/Vista/7/8/10 & MAC OS X & Linux

CU4377

USB Type C to USB3.0*3 HUB

3 in 1 Aluminum Shell
Side 1: USB type C Male
Side 2: USB3.0*3
USB: Up to 5Gbps, USB ports for data syncing

DH312A

USB 3.0 AM to USB3.0*3+RJ45 HUB

4 in 1 Aluminum Shell
USB 3.0 AM TO USB3.0*3+RJ45 HUB
Side 1: USB 3.0 AM
Side 2: USB3.0*3+RJ45
USB: Up to 5Gbps, USB ports for data syncing
RJ45: Up to 1000Mbps network

DH307C

USB Type C to USB3.0*4 HUB

4 in 1, plastic shell
Side 1: USB Type C Male
Side 2: USB 3.0*4+micro USB power supply
Material: Plastic shell+Nickel plated plug
USB: Up to 5Gbps, USB ports for data syncing
Compatible with USB 2.0 / 1.1 / 1.0
Compatibility: Windows 2000/XP/Vista/7/8/10 & MAC OS X & Linux



DH310A

USB Type C/M to 4*USB3.0 A/F HUB

Aluminum Shell 4 in 1, Space Gray, 0.15m



DH318

USB Type C to USB3.0*3+HDMI HUB

Aluminum Shell 4 in 1, Space Gray, 0.15m



DH311A

USB Type C to USB3.0*3+RJ45 HUB

Aluminum Shell 4 in 1, Space Gray, 0.15m



DH319

USB Type C to USB3.0*3+VGA HUB

Aluminum Shell 4 in 1, Space Gray, 0.15m



DH302C

USB 3.1 type C HUB

4 in 1, Black, 0.15m



VCOM
Video Communication

AV Adaptor



VCOM
Video Communication

AV Adaptor



CORE VALUE OF VCOM BRAND

Brand target: to be the global NO.1 brand on computer peripherals
 Brand character: over-value
 Slogan: Beyond your imagination
 Brand positioning: one-stop supplier for global computer peripherals
 Service positioning: an entire consultative and exhaustive service

DISTRIBUTE VCOM BRAND PRODUCTS

VCOM is a rapid developing and we have distributors/agents in 98 countries up till now. We would like to work with you to develop your local market, move forward together to a brilliant prospect. Contact us now!
 vcom@vcom.hk

